	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	40	(DBR or mirror or reflect\$5) and voltage same reduce and (optical near3 loss) and VCSEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11			0
2	BRS	30	((DBR or mirror or reflect\$5) and voltage same reduce and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 15:12			0
es es	BRS	6	(((DBR or mirror or reflect\$5) and voltage same reduce and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)) AND (ANTIMON\$6 OR SB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 15:12			0
4	BRS	7	(DBR or mirror or reflect\$5) and voltage same (reduc\$5 near3 drop) and (optical near3 loss) and VCSEL		2002/11/12 14:58			0
5	BRS	15	(DBR or mirror or reflect\$5) and (voltage near3 drop) same (reduc\$5) and (optical near3 loss) and VCSEL		2002/11/12 15:08			0
9	BRS	13	((DBR or mirror or reflect\$5) and (voltage near3 drop) same (reduc\$5) and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 14:59			0
7	BRS	2	(((DBR or mirror or reflect\$5) and (voltage near3 drop) same (reduc\$5) and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)) AND (ANTIMON\$6 OR SB)		2002/11/12 15:00			0
8	BRS	29	(DBR or mirror or reflect\$5) and (voltage) same (reduc\$5) and (optical near3 loss) and VCSEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 15:20			0
6	IS&R	2	(("5724374") or ("5991326")).PN.		2002/11/12 15:11			0
10	BRS	46	((DBR or mirror or reflect\$5) and (voltage) same (reduc\$5) and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)		2003/11/18 13:14			0
11	BRS	6	(((DBR or mirror or reflect\$5) and voltage same reduce and (optical near3 loss) and VCSEL) and (aluminum or gallium or arsenic)) AND (ANTIMON\$6 OR SB)) AND (ANTIMON\$6 OR SB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 15:18			0

Hits		Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
((((DBR or mirror or r (reduc\$5) and (optical (ANTIMON\$6 OR SB) (arsen\$5 or As)) and e	((((DBR or m reduc\$5) and ANTIMON\$ arsen\$5 or A	((((DBR or mirror or reflect\$5) and (voltage) same (reduc\$5) and (optical near3 loss) and VCSEL) AND (ANTIMON\$6 OR SB) and aluminum) and gallium) and (arsen\$5 or As)) and epitaxia\$6	T	2002/11/13 09:33			0
((((DBR or mirror or r (reduc\$5) and (optical (ANTIMON\$6 OR SB) (arsen\$5 or As)) and (6	((((DBR or nreduc\$5) and ANTIMON\$ arsen\$5 or A	(((((DBR or mirror or reflect\$5) and (voltage) same (reduc\$5) and (optical near3 loss) and VCSEL) AND (ANTIMON\$6 OR SB) and aluminum) and gallium) and (arsen\$5 or As)) and (epitaxia\$6 with grow\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 09:34			0
((DBR or mirror or refl (reduc\$5) and (optical (ANTIMON\$6 OR SB)	(DBR or mi reduc\$5) an ANTIMON	((DBR or mirror or reflect\$5) and (voltage) same (reduc\$5) and (optical near3 loss) and VCSEL) AND (ANTIMON\$6 OR SB) and aluminum	S-PGPUB; T;	2003/12/01 05:17			0
("5392307").PN	"5392307").	PN.	S-PGPUB; T;	2003/12/01 06:08			0
(("5392307")	("5392307")	(("5392307") or ("5914976")).PN.		2002/11/13 16:22			0
("5985686"))	("5985686")	(("5985686") or ("5914976")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:41			0
			N/A	1969/12/31 19:00			
("5553089").PN.	"5553089").	PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 05:22			0
("5,633,527").PN	"5,633,527").PN.	USPAT	2003/12/01 05:18			0
215 (FP or (Fab or (air near	FP or (Fab »r (air near	(FP or (Fabry near perot) near semiconductor) and (trench USPAT or (air near gap)) and shape\$3	USPAT	2003/12/01 05:25			0
(FP or (Fabror (air near and alumin (epitaxia\$6	FP or (Fabror (Fabror) (Fabror	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and shape\$3 and (ANTIMON\$6 OR SB) and aluminum and gallium and (arsen\$5 or As) and (epitaxia\$6 with grow\$5)	USPAT	2004/08/11 17:25			0
71 (FP or (Fabry near per or or (air near gap)) and	FP or (Fab vr (air near	(FP or (Fabry near perot) near semiconductor) and (trench USPAT or (air near gap)) and shape\$3 and aluminum	USPAT	2004/08/11 17:37			0

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
34	BRS	0		USPAT	2003/12/01 05:27			0
35	BRS	0	(FP or (Fabry near perot) near semiconductor) and (trenchi or (air near gap)) and shape\$3 and (oxidi\$5 near aluminium)	USPAT	2003/12/01 05:27			0
36	BRS	0	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and shape\$3 and (oxidi\$5 near2 aluminium)	USPAT	2003/12/01 05:27			0
37	IS&R	2	("5802086").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 06:09			0
38	BRS	32	(FP or (Fabry near perot) nea3r semiconductor) and (trench or (air near2 gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (AI"2"O"3" or (oxidized near2 aluminium))	USPAT	2004/08/11 17:31			0
39	BRS	0	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (aluminum near3 ozidiz\$3)	USPAT	2004/08/11 18:14			0
40	BRS	108	(trench R or	USPAT	2004/08/11 17:40			0
41	BRS	7	(FP or (Fabry near perot) near semiconductor) with (trench or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens)	USPAT	2004/08/11 17:40			0
42	BRS	0	l (trench BR or	USPAT	2004/08/11 18:14			0
43	BRS	0	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (aluminium near3 oxidiz\$3)	USPAT	2004/08/11 18:15			0
4	BRS	0	ar semiconductor) and (trench e\$3 near2 beam) or DBR or rface) or lens) and	USPAT	2004/08/11 18:15			0

	Туре	Type Hits	Search Text	DBs	Time Stamp	Comments	Comments Error Definition Errors	Errors
45	45 BRS	-	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (aluminium near3 oxi\$8)		2004/08/11 18:15			0
46	46 BRS	27	(FP or (Fabry near perot) near semiconductor) and (french or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (aluminum)	USPAT	2004/08/11 18:16			0
47	47 BRS	27	(FP or (Fabry near perot) near semiconductor) and (trench or (air near gap)) and ((shape\$3 near2 beam) or DBR or mirror or (reflect\$5 near2 surface) or lens) and (aluminium)	USPAT	2004/08/11 18:16			0